



PRODUCT CATALOG

Products for the coating of wood



for you

The technology, quality
and performance of professional
coating products for wood,
in your home.



EXTERIORS

COATINGS

P. 10

Water-based coatings for exteriors protect the wood against bad weather and UV rays. Available in various colors, they can easily be applied to: wooden frames, shutters, fences, balconies and other wooden items located outdoors, beams and attics.



INTERIORS

COATINGS

P. 18

Water-based coatings for interiors protect the wood against scratches and staining and can be washed with neutral detergents in an aqueous solution. They can be applied to wooden furniture and items for interior use (chairs, doors, tables, kitchen cabinet doors, baseboards/skirting, etc.).





PRODUCTS FOR **WOODEN FLOORING**

P. 22

Water-based coatings for wooden flooring are easy to apply and give the surface long-term protection against wear-and-tear. Maintenance products protect wooden floors and create a dust-proof, anti-static surface.

 **PARKEA**

PRODUCTS FOR **MAINTENANCE**

P. 26

Products for cleaning and maintenance make it possible to preserve intact over the long term the beauty of wood located outdoors. They can easily be applied to wooden frames, shutters, fences, balconies, garden furniture and decking.

 **arborea**



risk phrases,
caution phrases
and any
pictograms

european
barcode (EAN)



HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
CONTAINS: 1,2-BENZOISOTHIAZOL-3(2H)-ONE. MAY PRODUCE
AN ALLERGIC REACTION.
CONTAINS: 3-iodo-2-propynyl butylcarbamate. MAY
PRODUCE AN ALLERGIC REACTION.
AVOID RELEASE TO THE ENVIRONMENT.

This product is within the VOC limits set as of Decopaint Directive (Dir. 2004/42/CE). EU value limit for this product Water based - non firming impregnating agents is 130 g/l. This product contains a maximum of 1 g/l VOC. Keep from freezing. Store at temperatures between 5°C and 35°C. Mix well before use. Apply at a temperature above 10°C with relative humidity below 75%; temperature and humidity influence the stated drying times. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Dispose of contents and container in accordance with local, regional, international regulations.



INDUSTRIA CHIMICA ADRIATICA SpA
Via Pertini 52 - 62012 Civitanova Marche MC - Italy
Tel. +39 0733 8080 - Fax +39 0733 808140
www.icaforyou.com - info@icaforyou.com
A company of **ICA** group

product
code

description
of color/opacity

color
stamp

WALNUT

DCK01

image
associated with
the range

range logo



ICADECK WATER-BASED OIL FOR DECKING AND GARDEN FURNITURE
EXCELLENT PROTECTION OUTDOORS



information on the product and on the application methods



Interior and exterior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 12-16 m²/L per coat



Final drying 24 hours

ICADECK WATER-BASED OIL FOR DECKING AND GARDEN FURNITURE
 Minimal environmental impact. Easy to apply by brush, it protects the wood against bad weather and UV rays, giving an even coloration. Particularly suitable for exotic wood species (e.g. Teak and Iroko).

INTENDED USES

Wooden decking, flooring, garden furniture and other wooden items located outdoors, beams and attics.

USAGE ON NEW WOOD

- The wood must be clean and dry, and free from dust, oils and products that may limit adhesion.
- Sand with 150/180-grain sandpaper.
- Mix the product thoroughly and apply using a brush (with synthetic bristles), wiping with a cloth if necessary.
- After 1, maximum 2 hours, apply the second coat of product. Then sand with 280/320-grain sandpaper before applying the second coat of product.

USAGE ON PRE-COATED WOOD

- Sand with 100/120-grain sandpaper until the complete removal of the pre-existing coating.
- Complete the sanding with 150/180-grain sandpaper.
- Remove the sawdust.
- Mix the product thoroughly and apply using a brush (with synthetic bristles), wiping with a cloth if necessary.
- Proceed as stated above in relation to usage on new wood.
- On wood previously treated with the same product, which has not yet degraded, clean the surface, sand lightly with 180-grain sandpaper, remove the sawdust and proceed with the application of the product.



For more information

750 ml e



icons to immediately identify the main product information

QR code to download the technical data sheet, the safety sheet and additional product information

product quantity in volume

recyclable packaging

THE RIGHT PRODUCT FOR ANY NEED



1

FRAMES AND SHUTTERS, FENCES AND BALCONIES

- p. 12 _ No-drop water-based impregnating agent for wood
- p. 13 _ High-build water-based impregnating agent/top coat for wood
- p. 13 _ Wax-like water-based impregnating agent/top coat for wood
- p. 14 _ Wax-like metallic water-based impregnating agent/top coat for wood
- p. 14 _ Transparent water-based top coat for wood
- p. 15 _ Matt water-based enamel for wood
- p. 28 _ Fast Cleaner neutral liquid detergent
- p. 28 _ Easy Coat water-based conditioner for wooden frames and shutters
- p. 29 _ Arborea Kit

2

GARDEN FURNITURE

- p. 12 _ No-drop water-based impregnating agent for wood
- p. 13 _ High-build water-based impregnating agent/top coat for wood
- p. 13 _ Wax-like water-based impregnating agent/top coat for wood
- p. 14 _ Wax-like metallic water-based impregnating agent/top coat for wood
- p. 14 _ Transparent water-based top coat for wood
- p. 15 _ Matt water-based enamel for wood
- p. 16 _ Water-based top coat for decking and garden furniture
- p. 16 _ Icadeck water-based oil for decking and garden furniture
- p. 17 _ Cleandeck anti-graying detergent for decking and garden furniture
- p. 28 _ Fast Cleaner neutral liquid detergent
- p. 28 _ Easy Coat water-based conditioner for wooden
- p. 29 _ Arborea Kit

3

BEAMS AND ATTICS

- p. 12 _ No-drop water-based impregnating agent for wood
- p. 13 _ High-build water-based impregnating agent/top coat for wood
- p. 13 _ Wax-like water-based impregnating agent/top coat for wood
- p. 14 _ Wax-like metallic water-based impregnating agent/top coat for wood
- p. 14 _ Transparent water-based top coat for wood
- p. 15 _ Matt water-based enamel for wood
- p. 16 _ Icadeck water-based oil for decking and garden furniture

4

DECKING

- p. 16 _ Water-based top coat for decking and garden furniture
- p. 16 _ Icadeck water-based oil for decking and garden furniture
- p. 17 _ Cleandeck anti-graying detergent for decking and garden furniture



5

INTERIOR FURNITURE

- p. 20 _ Transparent water-based base/top coat for wood
- p. 20 _ Naturwood transparent water-based base/top coat for wood
- p. 21 _ Water-based base coat/filler for wood
- p. 21 _ Matt water-based enamel for wood

6

WOODEN FLOORING

- p. 24 _ Transparent high-traffic water-based coating
- p. 25 _ Puliwood neutral detergent for coated wooden flooring
- p. 25 _ Deolux neutral conditioner for coated wooden flooring

EXTERIORS

COATINGS



No-drop water-based impregnating agent for wood	p. 12
High-build water-based impregnating agent/top coat for wood	p. 13
Wax-like water-based impregnating agent/top coat for wood	p. 13
Wax-like metallic water-based impregnating agent/top coat for wood	p. 14
Transparent water-based top coat for wood	p. 14
Matt water-based enamel for wood	p. 15
Water-based top coat for decking and garden furniture	p. 16
Icadeck water-based oil for decking and garden furniture	p. 16
Cleandeck anti-graying detergent for decking and garden furniture	p. 17

INTERIORS

COATINGS



Transparent water-based base/top coat for wood	p. 20
Naturwood transparent water-based base/top coat for wood	p. 20
Water-based base coat/filler for wood	p. 21
Water-based enamel for wood	p. 21

PRODUCTS FOR
WOODEN FLOORING

 **PARKEA**

Transparent high-traffic water-based coating	p. 24
Puliwood neutral detergent for coated wooden flooring	p. 25
Deolux neutral conditioner for coated wooden flooring	p. 25

PRODUCTS FOR
MAINTENANCE

 **arborea**

Fast Cleaner neutral liquid detergent	p. 28
Easy Coat water-based conditioner for wooden frames and shutters	p. 28
Arborea Kit	p. 29



EXTERIORS
COATINGS





NO-DROP WATER-BASED IMPREGNATING AGENT FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush, spray or sponge, even vertically. Protects the wood against bad weather and UV rays, giving the wood an even coloration.



INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors, interior furnishings, beams and attics.



Interior and exterior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 10-12 m²/L per coat



Final drying 4-6 hours

	Code	Unit size	No. units per pack
NEUTRAL	IMG00-0075	750 ml	6
	IMG00-0250	2.5 L	2
PINE	IMG01-0075	750 ml	6
	IMG01-0250	2.5 L	2
LARCH	IMG02-0075	750 ml	6
	IMG02-0250	2.5 L	2
OAK	IMG03-0075	750 ml	6
	IMG03-0250	2.5 L	2
CHESTNUT	IMG04-0075	750 ml	6
	IMG04-0250	2.5 L	2
TEAK	IMG05-0075	750 ml	6
	IMG05-0250	2.5 L	2
CHERRY	IMG06-0075	750 ml	6
	IMG06-0250	2.5 L	2
MAHOAGANY	IMG07-0075	750 ml	6
	IMG07-0250	2.5 L	2
WALNUT	IMG08-0075	750 ml	6
	IMG08-0250	2.5 L	2
DARK WALNUT	IMG09-0075	750 ml	6
	IMG09-0250	2.5 L	2
GREEN	IMG10-0075	750 ml	6
	IMG10-0250	2.5 L	2
WHITE	IMG11-0075	750 ml	6
	IMG11-0250	2.5 L	2



HIGH-BUILD WATER-BASED IMPREGNATING AGENT/TOP COAT FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush or spray, non-yellowing, it protects the wood against bad weather and UV rays. Can be applied in a single coat.

INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors, beams and attics.



Interior and exterior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 8-10 m²/L per coat



Final drying 12 hours



Code	Unit size	No. units per pack
IMB00-0075	750 ml	6
IMB00-0250	2.5 L	2



WAX-LIKE WATER-BASED IMPREGNATING AGENT/TOP COAT FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush or spray, directly onto untreated wood or pre-impregnated wood. Protects the wood against bad weather and UV rays.

INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors, beams and attics.



Interior and exterior use



Ready to use



Brush or spray application





Cleaning of equipment with water



Coverage 10-12 m²/L per coat



Final drying 12 hours



Code	Unit size	No. units per pack
IMR00-0075	750 ml	6
IMR00-0250	2.5 L	2
IMR01-0075	750 ml	6
IMR01-0250	2.5 L	2
IMR02-0075	750 ml	6
IMR02-0250	2.5 L	2
IMR03-0075	750 ml	6
IMR03-0250	2.5 L	2



WAX-LIKE METALLIC WATER-BASED IMPREGNATING AGENT/ TOP COAT FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush or spray, directly onto untreated wood or pre-impregnated wood. Protects the wood against bad weather and UV rays. Its metallic coloration increases protection against sunlight and endows the coated object with an appealing aesthetic effect.

INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors, beams and attics.



Interior and exterior use



Ready to use



Brush or spray application




Cleaning of equipment with water



Coverage 10-12 m²/L per coat



Final drying 12 hours



Code	Unit size	No. units per pack
IMV01-0075	750 ml	6
IMV02-0075	750 ml	6
IMV03-0075	750 ml	6
IMV04-0075	750 ml	6
IMV05-0075	750 ml	6
IMV06-0075	750 ml	6



TRANSPARENT WATER-BASED TOP COAT FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush or spray, onto pre-impregnated wood. Protects the wood against bad weather and UV rays.

INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors, beams and attics.



Interior and exterior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 9-12 m²/L per coat



Final drying 24 hours



Code	Unit size	No. units per pack
FNT35-0075	750 ml	6
FNT35-0250	2.5 L	2
FNT60-0075	750 ml	6
FNT60-0250	2.5 L	2
FNC01-0075	750 ml	6
FNC01-0250	2.5 L	2
FNC02-0075	750 ml	6
FNC02-0250	2.5 L	2
FNC03-0075	750 ml	6
FNC03-0250	2.5 L	2



MATT WATER-BASED ENAMEL FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush or spray, preferably onto pre-impregnated wood. Protects the wood against bad weather and UV rays.



INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors, beams and attics.



Interior and exterior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 8-10 m²/L per coat



Final drying 24 hours

	Code	Unit size	No. units per pack
WHITE	FNB35-0075	750 ml	6
	FNB35-0250	2.5 L	2
PEARL WHITE	FNL01-0075	750 ml	6
MUSK GREEN	FNL02-0075	750 ml	6
RESEDA GREEN	FNL03-0075	750 ml	6
GRAY LIGHT	FNL04-0075	750 ml	6
TRAFFIC GRAY A	FNL05-0075	750 ml	6
CHOCOLATE BROWN	FNL06-0075	750 ml	6
PURE WHITE	FNL07-0075	750 ml	6



WATER-BASED TOP COAT FOR DECKING AND GARDEN FURNITURE

Minimal environmental impact. Easy to apply by brush or spray, it protects the wood against bad weather and UV rays. Particularly suitable for use as the top coat for the protection of garden furniture.



Code	Unit size	No. units per pack
FND30-0075	750 ml	6
FND30-0250	2.5 L	2



INTENDED USES

Wooden decking, flooring, garden furniture and other wooden items located outdoors.



Interior and exterior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 9-12 m²/L per coat




Final drying 12 hours



ICADECK WATER-BASED OIL FOR DECKING AND GARDEN FURNITURE

Minimal environmental impact. Easy to apply by brush, it protects the wood against bad weather and UV rays, giving an even coloration. Particularly suitable for exotic wood species (e.g. Teak and Iroko).



Code	Unit size	No. units per pack
DCK01-0075	750 ml	6
DCK01-0250	2.5 L	2



INTENDED USES

Wooden decking, flooring, garden furniture and other wooden items located outdoors, beams and attics.



Interior and exterior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 12-16 m²/L per coat



Final drying 24 hours



Code	Unit size	No. units per pack
CLEANDECK-01	1 L	6

CLEANDECK ANTI-GRAYING DETERGENT FOR DECKING AND GARDEN FURNITURE

Detergent for aged, grayed wood, which eliminates the gray patina that forms on wood exposed to the exterior environment. Particularly suitable for wood species such as Teak.



INTENDED USES

Wooden decking, flooring, garden furniture and other wooden items located outdoors.



Exterior use



Ready to use



Brush application



Cleaning of equipment with water



Coverage 6-8 m²/L per coat



INTERIORS
COATINGS





TRANSPARENT WATER-BASED BASE/TOP COAT FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush without clogging, it protects the wood against scratches and staining. Can be washed with neutral detergents in an aqueous solution.

INTENDED USES

Wooden furniture and objects for interior use (chairs, doors, tables, kitchen cabinet doors, baseboards/skirting, etc.).



Interior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 10-12 m²/L per coat



Final drying 12-24 hours

Opacity	Code	Unit size	No. units per pack
SATIN	FFT20-0075	750 ml	6
	FFT20-0250	2.5 L	2
SEMI-GLOSS	FFT60-0075	750 ml	6
	FFT60-0250	2.5 L	2



NATURWOOD TRANSPARENT WATER-BASED BASE/TOP COAT FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush without clogging, it protects the wood against scratches and staining. Can be washed with neutral detergents in an aqueous solution.

INTENDED USES

Wooden furniture and objects for interior use (chairs, doors, tables, kitchen cabinet doors, baseboards/skirting, etc.).



Interior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 10-12 m²/L per coat



Final drying 12-24 hours

Opacity	Code	Unit size	No. units per pack
EXTRA-MATT	NTW05-0075	750 ml	6
	NTW05-0250	2.5 L	2



WATER-BASED BASE COAT/FILLER FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush without clogging, it protects the wood against scratches and staining. Easy to sand.

INTENDED USES

Wooden furniture and objects for interior use (chairs, doors, tables, kitchen cabinet doors, baseboards/skirting, etc.).



Interior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 8-10 m²/L per coat



Final drying 4-6 hours

Code	Unit size	No. units per pack
FDB00-0075	750 ml	6
FDB00-0250	2.5 L	2

WHITE



WATER-BASED ENAMEL FOR WOOD

Odorless and with minimal environmental impact. Easy to apply by brush without clogging, it protects the wood against scratches and staining. Can be washed with neutral detergents in an aqueous solution.

INTENDED USES

Wooden furniture and objects for interior use (chairs, doors, tables, kitchen cabinet doors, baseboards/skirting, etc.).



Interior use



Ready to use



Brush or spray application



Cleaning of equipment with water



Coverage 8-10 m²/L per coat



Final drying 12-24 hours

Code	Unit size	No. units per pack
FFB30-0075	750 ml	6
FFB30-0250	2.5 L	2
FFB60-0075	750 ml	6
FFB60-0250	2.5 L	2

SATIN WHITE

SEMI-GLOSS WHITE



PRODUCTS FOR
WOODEN FLOORING



TRANSPARENT HIGH-TRAFFIC WATER-BASED COATING

Odorless and with minimal environmental impact. Easy to apply by brush without clogging, it protects the wood against scratches and staining. Can be washed with neutral detergents in an aqueous solution.



INTENDED USES

Wooden floors for interiors.



Interior use



Ready to use



Brush or roller application



Cleaning of equipment with water



Coverage 10-12 m²/L per coat



Can be walked on after 24 hours

Opacity	Code	Unit size	No. units per pack
EXTRA-MATT	VPA05-0075	750 ml	6
	VPA05-0250	2.5 L	2
SEMI-GLOSS	VPA60-0075	750 ml	6
	VPA60-0250	2.5 L	2



PULIWOOD NEUTRAL DETERGENT FOR COATED WOODEN FLOORING

Concentrated neutral liquid detergent.

Code	Unit size	No. units per pack
PULIWOOD-01	1 L	6



INTENDED USES

Coated wooden flooring
for interiors.



Interior use



Dilution
with water



Application
with cloth



DEOLUX NEUTRAL CONDITIONER FOR COATED WOODEN FLOORING

Neutral liquid conditioner.
Protects wooden floors against wear
and creates a dust-proof, anti-static
surface.

Code	Unit size	No. units per pack
DEOLUX-01	1 L	6



INTENDED USES

Coated wooden flooring for interiors.



Interior use



Dilution
with water



Application
with cloth



PRODUCTS FOR
MAINTENANCE





FAST CLEANER NEUTRAL LIQUID DETERGENT

Ready-to-use neutral liquid detergent, suitable for the cleaning of transparent and lacquered frames and shutters.



INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors.



Interior and exterior use



Ready to use



Application with sponge

Code	Unit size	No. units per pack
FASTCLEANER-0050	500 ml	12



EASY COAT WATER-BASED CONDITIONER FOR WOODEN FRAMES AND SHUTTERS

Ready-to-use transparent water-based conditioner for the regular refreshing of transparent and lacquered frames and shutters (3-4 times a year). Its regenerative action prevents the degradation of the coating film and keeps the beauty of the wood intact.



INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors.



Interior and exterior use



Ready to use



Application with cloth

Code	Unit size	No. units per pack
EASYCOAT-0050	500 ml	9

Code	Unit size	No. units per pack
KITH2OP	1 UNIT	1



ARBOREA KIT

Products for cleaning and refreshing wooden frames and shutters.

Includes:


- FAST CLEANER Neutral liquid detergent (500 ml)
- EASY COAT Water-based conditioner (500 ml)
- Microfiber cloth for applying EASY COAT



INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors.

The colors in this catalog are for illustrative purposes only.



Code	Unit size	No. units per pack
CARARBFY01	1 UNIT	1

ARBOREA COLOR CHART

Transparent and lacquered water-based colors for wood located outdoors:

- NO-DROP IMPREGNATING AGENTS
- WAX-LIKE IMPREGNATING AGENTS/TOP COATS
- METALLIC IMPREGNATING AGENTS/TOP COATS
- MATT ENAMELS
- TRANSPARENT TOP COATS

INTENDED USES

Wooden frames, shutters, fences, balconies and other wooden items located outdoors.

for you

#ICAFORYOU
UPLOAD YOUR PROJECT



Have you come up with a project using our products?

TELL US ALL ABOUT IT ON
[icaforyou.com](https://www.icaforyou.com)





INDUSTRIA CHIMICA ADRIATICA SPA
Via Sandro Pertini, 52
62012 Civitanova Marche MC_Italy
Tel. +39 0733 8080_Fax +39 0733 808140
www.icaforyou.com info@icaforyou.com

A COMPANY OF **ICA** GROUP®